



SPORT TRANSFER
sports equipment

SPORT-TRANSFER sp. z o.o.
Jawornik 564
32-400 Myślenice
Tel. +48 12 649 14 83
e-mail: biuro@sport-transfer.com.pl

INSTRUCTIONS FOR ASSEMBLY AND USE OF SPORTS EQUIPMENT

Product: **Volleyball net**

Code: 5088, 5166, 5099, 5033, 5133 503, 501, 512, 513, 509

The volleyball nets meets requirements of the PN-EN 913:2019-03 and PN-EN 1271:2015-01 standard: "Playing Field Equipment - Volleyball Equipment. Functional And Safety Requirements, Test Methods".

1. Components of the net

Number	Part/subassembly name	Quantity per product
1	Volleyball net with a size of 9.50x1.00 m or 8.50x1.00 m	1

2. Net fastening

- The net suspension strand is fixed on the top hook (8) of the slat in the hook rail.
- The other end of the suspension strand is hooked onto the snap hook located at the slat with the screw tensioner (9)
- By turning the crank applied to the joint in the middle of the slat with the tensioner, tighten the net's suspension strand. In a correctly tensioned grid, the height of its top edge, measured at the centre, must not be less than 1 cm in relation to the height measured above the sidelines of the playing field.
- After tensioning the suspension strand, the net is tensioned using tensioning strings and tied to the hooks (10) on the slats of both rails so that the net is symmetrical in relation to the transverse axis of the playing field.

- Suspension height of the net in metres: 2.43 for men; 2.24 for women; 2.35 for juniors "m"; 2.20 for juniors "k"; 1.55 for badminton.

3. Using the net

- a) The volleyball net is designed for playing volleyball in open and closed objects.
- b) It is forbidden to cut, burn or tear the net.
- c) Use the net only when all its edges are correctly attached to the posts.

ATTENTION: Do not climb or hang on any part of the net

